


① WALL SECTION

OFFICE/STUDIO
SCALE: 3/4" = 1'-0"

② WALL SECTION

STORAGE ROOM
SCALE: 3/4" = 1'-0"



③ DETAIL


SCREEN
SCALE: 3/4" = 1'-0"

④ DETAIL

SCREEN AND TRELLIS
SCALE: 3/4" = 1'-0"


⑤ DETAIL

COLUMN AND TRIMMED BEAM
SCALE: 3/4" = 1'-0"




⑥ DETAIL

PARAPET CAP AND VENT AT OFFICE/STUDIO
SCALE: 1 1/2" = 1'-0"



MATERIALS LIST	
1.	PREFINISHED ALUMINUM COPING
2.	BLOCKING AS REQUIRED
3.	5/4" WOOD TRIM WITH 2 1/2" EXPOSURE
4.	REINFORCED RUBBER MEMBRANE ROOFING
5.	TAPERED INSULATION
6.	REINFORCED RUBBER MEMBRANE FLASHING. EXTEND UP UNDER COPING
7.	CEMENT FIBER ARTISAN SIDING, SQUARE CHANNEL, 9" EXPOSURE
8.	BLIND NAILED, CORNERS MITERED
9.	5/8" ROOF SHEATHING
10.	AIR SPACE
11.	R-38 INSULATION
12.	2X12 CEILING JOISTS, 24" O.C.
13.	5/8" GYPSUM WALLBOARD (CEILINGS)
14.	1/2" GYPSUM WALLBOARD
15.	WATER RESISTANT, BREATHABLE, AIR BARRIER, TYVEK HOMEWRAPE OR EQUAL
16.	1/2" WALL SHEATHING
17.	2X6 STUDS @ 16" O.C.
18.	R-21 FIBERGLASS BATT INSULATION WITH VAPOR RETARDER
19.	3/4" T&G PLYWOOD SUBFLOOR GLUED AND NAILED
20.	2X10 FLOOR JOISTS @ 16" O.C.
21.	2X6 TREATED WOOD PLATE
22.	FIBERGLASS SILL SEAL
23.	1/2" DIAMETER ANCHOR BOLT, 1'-6" LONG, EMBEDDED AT LEAST 1'-3" DEEP, 6" FROM CORNER AND NOT MORE THAN 1'-0" FROM ANY CORNER
24.	8X8X16 CMU TERMITE BLOCK
25.	1/2" INSULATION DRAPE
26.	VAPOR BARRIER, 6 MIL POLY
27.	EXTEND VAPOR BARRIER UP WALL, SECURE TO WALL WITH CONTINUOUS SEALED ATTACHMENT
28.	GRAVEL, 1"
29.	10X16 CONCRETE FOOTING
30.	2#5 REINFORCING BARS
31.	DAMPPROOFING PER CODE REQUIREMENTS
32.	GRAVEL BACKFILL TO WITHIN 1'-0" OF GRADE
33.	PREFINISHED DOUBLE LOCKED STANDING SEAM METAL PANEL, PANELS 16' WIDE
34.	PREFINISHED METAL COPING. MATERIAL OF COPING TO BE COMPATIBLE WITH MATERIAL OF WALL PANEL
35.	HSS 5" X 3" X 5/16" STEEL TUBE
36.	1X BLOCKING SECURED TO STEEL TUBE
37.	1X WOOD TRIM
38.	4X8 COLUMN
39.	1X6
40.	4" CONCRETE SLAB WITH 6X6, W1.4/W1.4 WWF
41.	WALL FLASHING
42.	FLASHING BY STANDING SEAM METAL PANEL MANUFACTURER
43.	W8X18 STEEL BEAM. SEE STRUCTURAL INFORMATION FOR ALL HARDWARE AND ASSEMBLY DETAILS
44.	PREFINISHED DOUBLE LOCK STANDING SEAM METAL PANEL ROOFING.
45.	PRE-FINISHED FELTS
46.	PREFINISHED METAL DRIP EDGE, COMPATIBLE WITH METAL ROOFING
47.	1X WOOD FASCIA TO MATCH AND ALIGN WITH EXISTING
48.	2X SUBFASCIA
49.	PREFINISHED Ogee PROFILE GUTTER TO MATCH AND ALIGN WITH EXISTING
50.	2" CONTINUOUS SOFFIT VENT
51.	SOFFIT MATERIAL TO MATCH EXISTING
52.	1X TRIM BAND TO MATCH AND ALIGN WITH EXISTING
53.	1X BLOCKING
54.	5/4 X 6 GROOVE DECKING
55.	BLOCKING AS REQUIRED
56.	CONTINUOUS VENT SLOT WITH CORROSION RESISTANT SCREEN
57.	1" DIAMETER AIR HOLE, 3 PER JOIST SPAN

ADDITIONS TO THE THE MUGLER RESIDENCE 2562 BEXLEY PARK RD



Gary J. Alexander,
Architect
1265 Neil Avenue, Columbus, Ohio 43201
(614) 487-0637

PRICING: 02-25-2021

A-7